




RST₁



RST₅



B90



B2000

PISTOLE AIRLESS ALTA PRESSIONE
AIRLESS HIGH PRESSURE SPRAY GUNS

PER VERNICIATURA PROFESSIONALE/ FOR PROFESSIONAL PAINT SPRAYING

RST1- PISTOLA MANUALE/ MANUAL SPRAY GUN

Pistola airless manuale ad alta pressione con raccordo girevole in acciaio inox, per garantire il massimo comfort e libertà dell'utilizzatore. Ideale per la spruzzatura di materiali di media viscosità con pompe airless elettriche o pneumatiche. 300 Bar. La pistola è disponibile con grilletto a due o a quattro dita.

Manual airless high pressure spray gun with stainless steel swivel to guarantee the best comfort and hand freedom during the work. Suitable for spraying of medium viscosity materials with electric and pneumatic airless pumps. 300 Bar. It's available with two-fingers or four-fingers trigger.

RST₁



GRILLETTO 2 DITA / 2 FINGERS TRIGGER



GRILLETTO 4 DITA / 4 FINGERS TRIGGER

COD	DESCRIZIONE
RST11C	Pistola Airless RST1 Diam.5 racc 1/4" Diff 11/16"
RST12C	Pistola Airless RST1 Diam.5 racc 16x1,5 mm Diff 11/16"
RST13C	Pistola Airless RST1 Diam.5 racc 1/4" Diff 7/8"
RST14C	Pistola Airless RST1 Diam.5 racc 16x1,5 mm Diff 7/8"
RST1K	Repair kit RST1 Diam.5 Diff 11/16"
RST1KG	Repair kit RST1 Diam.5 Diff 7/8"

CODE	DESCRIPTION
RST11C	Airless Gun RST1 Diam.5 Connection 1/4" Diff 11/16"
RST12C	Airless Gun RST1 Diam.5 Connection 16x1,5mm Diff 11/16"
RST13C	Airless Gun RST1 Diam.5 Connection 1/4" Diff 7/8"
RST14C	Airless Gun RST1 Diam.5 Connection 16x1,5mm Diff 7/8"
RST1K	Repair kit RST1 Diam.5 Diff 11/16"
RST1KG	Repair kit RST1 Diam.5 Diff 7/8"

300 Bar

CE Ξ II 2GT6 X

ATEX and CE conformity



Raccordo girevole in acciaio INOX, per garantire il massimo comfort e libertà all'utilizzatore

Stainless steel swivel, to guarantee the best comfort and hand freedom during the work

DATI TECNICI / TECHNICAL DATA	
PRES. MAX	300 Bar /4350 psi
PESO/ WEIGHT	430gr
Ø SFERA/BALL	Ø5

COD	DESCRIZIONE
RST11	Pistola Airless RST1 Diam.5 racc 1/4" Diff 11/16"
RST12	Pistola Airless RST1 Diam.5 racc 16x1,5 mm Diff 11/16"
RST13	Pistola Airless RST1 Diam.5 racc 1/4" Diff 7/8"
RST14	Pistola Airless RST1 Diam.5 racc 16X1,5 mm Diff 7/8"
RST1K	Repair kit RST1 Diff 11/16"
RST1KG	Repair kit RST1 Diff 7/8"

CODE	DESCRIPTION
RST11	Airless Gun RST1 Diam.5 Connection 1/4" Diff 11/16"
RST12	Airless Gun RST1 Diam.5 Connection 16x1,5mm Diff 11/16"
RST13	Airless Gun RST1 Diam.5 Connection 1/4" Diff 7/8"
RST14	Airless Gun RST1 Diam.5 Connection 16X1,5mm Diff 7/8"
RST1K	Repair kit RST1 Diam.5 Diff 11/16"
RST1KG	Repair kit RST1 Diam.5 Diff 7/8"

RST2 - PISTOLA MANUALE/ MANUAL SPRAY GUN

Pistola airless manuale ad alta pressione con raccordo girevole in acciaio inox, per garantire il massimo comfort e libertà dell'utilizzatore. 500 Bar. La pistola è disponibile con grilletto a due o a quattro dita.

Manual airless high pressure spray gun with stainless steel swivel to guarantee the best comfort and hand freedom during the work. 500 Bar. It's available with two-fingers or four-fingers trigger.

GRILLETTO 4 DITA / 4 FINGERS TRIGGER

RST₂

500 Bar

Ø3



COD	DESCRIZIONE
-----	-------------

RST21	Pistola Airless RST2 Diam.3 racc 1/4" Diff 11/16"
RST22	Pistola Airless RST2 Diam.3 racc 16x1,5 mm Diff 11/16"
RST23	Pistola Airless RST2 Diam.3 racc 1/4" Diff 7/8"
RST24	Pistola Airless RST2 Diam.3 racc 16X1,5 mm Diff 7/8"
RST2K	Repair kit RST2 Diff 11/16"
RST2KG	Repair kit RST2 Diff 7/8"

CODE	DESCRIPTION
------	-------------

RST21	Airless Gun RST2 Diam.3 Connection 1/4" Diff 11/16"
RST22	Airless Gun RST2 Diam.3 Connection 16x1,5mm Diff 11/16"
RST23	Airless Gun RST2 Diam.3 Connection 1/4" Diff 7/8"
RST24	Airless Gun RST2 Diam.3 Connection 16X1,5mm Diff 7/8"
RST2K	Repair kit RST2 Diam.3 Diff 11/16"
RST2KG	Repair kit RST2 Diam.3 Diff 7/8"

Ø5

COD	DESCRIZIONE
-----	-------------

RST25	Pistola Airless RST2 Diam.5 racc 1/4" Diff 11/16"
RST26	Pistola Airless RST2 Diam.5 racc 16x1,5 mm Diff 11/16"
RST27	Pistola Airless RST2 Diam.5 racc 1/4" Diff 7/8"
RST28	Pistola Airless RST2 Diam.5 racc 16X1,5 mm Diff 7/8"
RST2K5	Repair kit RST2 Diam.5 Diff 11/16"
RST2KG5	Repair kit RST2 Diam.5 Diff 7/8"

CODE	DESCRIPTION
------	-------------

RST25	Airless Gun RST2 Diam.5 Connection 1/4" Diff 11/16"
RST26	Airless Gun RST2 Diam.5 Connection 16x1,5mm Diff 11/16"
RST27	Airless Gun RST2 Diam.5 Connection 1/4" Diff 7/8"
RST28	Airless Gun RST2 Diam.5 Connection 16X1,5mm Diff 7/8"
RST2K5	Repair kit RST2 Diam.5 Diff 11/16"
RST2KG5	Repair kit RST2 Diam.5 Diff 7/8"

CE II 2GT6 X

ATEX and CE conformity

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	520gr
RESISTENZA GRILLETTO/ TRIGGER RESISTANCE	12 N/ 1 Kg
Ø SFERA/BALL	Ø3 - Ø5

RST2 - PISTOLA MANUALE/ MANUAL SPRAY GUN

GRILLETTO 2 DITA / 2 FINGERS TRIGGER

RST₂ 500 Bar



Ø3


COD	DESCRIZIONE
RST21C	Pistola Airless RST2 Diam.3 racc 1/4" Diff 11/16"
RST22C	Pistola Airless RST2 Diam.3 racc 16x1,5 mm Diff 11/16"
RST23C	Pistola Airless RST2 Diam.3 racc 1/4" Diff 7/8"
RST24C	Pistola Airless RST2 Diam.3 racc 16x1,5 mm Diff 7/8"
RST2K	Repair kit RST2 Diff 11/16"
RST2KG	Repair kit RST2 Diff 7/8"

CODE	DESCRIPTION
RST21C	Airless Gun RST2 Diam.3 Connection 1/4" Diff 11/16"
RST22C	Airless Gun RST2 Diam.3 Connection 16x1,5mm Diff 11/16"
RST23C	Airless Gun RST2 Diam.3 Connection 1/4" Diff 7/8"
RST24C	Airless Gun RST2 Diam.3 Connection 16x1,5mm Diff 7/8"
RST2K	Repair kit RST2 Diam.3 Diff 11/16"
RST2KG	Repair kit RST2 Diam.3 Diff 7/8"

Ø5

COD	DESCRIZIONE
RST25C	Pistola Airless RST2 Diam.5 racc 1/4" Diff 11/16"
RST26C	Pistola Airless RST2 Diam.5 racc 16x1,5 mm Diff 11/16"
RST27C	Pistola Airless RST2 Diam.5 racc 1/4" Diff 7/8"
RST28C	Pistola Airless RST2 Diam.5 racc 16x1,5 mm Diff 7/8"
RST2K5	Repair kit RST2 Diam.5 Diff 11/16"
RST2KG5	Repair kit RST2 Diam.5 Diff 7/8"

CODE	DESCRIPTION
RST25C	Airless Gun RST2 Diam.5 Connection 1/4" Diff 11/16"
RST26C	Airless Gun RST2 Diam.5 Connection 16x1,5mm Diff 11/16"
RST27C	Airless Gun RST2 Diam.5 Connection 1/4" Diff 7/8"
RST28C	Airless Gun RST2 Diam.5 Connection 16x1,5mm Diff 7/8"
RST2K5	Repair kit RST2 Diam.5 Diff 11/16"
RST52KG5	Repair kit RST2 Diam.5 Diff 7/8"

CE  II 2GT6 X

ATEX and CE conformity

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar / 7250 psi
PESO/ WEIGHT	520gr
RESISTENZA GRILLETTO/ TRIGGER RESISTANCE	12 N/ 1 Kg
Ø SFERA/BALL	Ø3 - Ø5

LEGGERA, ERGONOMICA e dalle DIMENSIONI CONTENUTE
LIGHTWEIGHT, ERGONOMIC and COMPACT

B2000

Pistola airless manuale ad alta pressione, 250 Bar.

Manual airless high pressure gun, 250 Bar.

250 Bar




DATI TECNICI / TECHNICAL DATA

PRES. MAX	250 Bar /3625 psi
PESO/ WEIGHT	480gr
Ø SFERA/BALL	Ø5

COD	DESCRIZIONE
104001	Pistola B2000 racc 1/4"
104001G	Pistola B2000 racc 1/4" Diff 7/8"
104002	Pistola B2000 racc 16 x 1,5mm
104002G	Pistola B2000 racc 16 x 1,5mm Diff 7/8"
104003	Pistola B2000 racc 1/2" JIC
104004	Pistola B2000 racc 3/8"
505250	Repair kit B2000 11/16"
505250G	Repair kit B2000 7/8"

CODE	DESCRIPTION
104001	Gun B2000 Connection 1/4"
104001G	Gun B2000 Connection 1/4" Diff 7/8"
104002	Gun B2000 Connection 16 x 1,5 mm
104002G	Gun B2000 Connection 16 x 1,5 mm Diff 7/8"
104003	Gun B2000 Connection 1/2 JIC
104004	Gun B2000 Connection 3/8"
505250	Repair kit B2000 11/16"
505250G	Repair kit B2000 7/8"

CE  II 2GT6 X

PISTOLE MANUALI/ MANUAL SPRAY GUNS

B500



Pistola airless manuale ad alta pressione, 500 Bar.

Manual airless high pressure gun, 500 Bar.

COD	DESCRIZIONE
104005	Pistola B500 racc 1/4" Diff 11/16"
104006	Pistola B500 racc 16 x 1,5 mm Diff 11/16"
104007	Pistola B500 racc 1/2" JIC Diff 11/16"
104010	Pistola B500 racc 3/8" Diff 11/16"
104005G	Pistola B500 racc 1/4" Diff 7/8"
104006G	Pistola B500 racc 16 x 1,5 mm Diff 7/8"
502000	Repair kit B500 Diff 11/16"
502000G	Repair kit B500 Diff 7/8"

CODE	DESCRIPTION
104005	Gun B500 bar 500 Connection 1/4" Diff 11/16"
104006	Gun B500 bar 500 Connection 16x1,5 mm Diff 11/16"
104007	Gun B500 bar 500 Connection 1/2 JIC Diff 11/16"
104010	Gun B500 bar 500 Connection 3/8" Diff 11/16"
104005G	Gun B500 bar 500 Connection 1/4" Diff 7/8"
104006G	Gun B500 bar 500 Connection 16x1,5 mm Diff 7/8"
502000	Repair kit B500 11/16"
502000G	Repair kit B500 7/8"

CE Ex II 2GT6 X

500 Bar

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	600gr
Ø SFERA/BALL	Ø5

B90



Pistola airless manuale ad alta pressione, 500 Bar.

Manual airless high pressure gun, 500 Bar.

DATI TECNICI / TECHNICAL DATA	
PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	570gr
Ø SFERA/BALL	Ø5

COD	DESCRIZIONE
109004	Pistola B90 racc 1/4" Diff 11/16"
109005	Pistola B90 racc 16x1,5 mm Diff 11/16"
109004G	Pistola B90 racc 1/4" Diff 7/8"
109005G	Pistola B90 racc 16x1,5 mm Diff 7/8"
505000G	Repair kit B90 Diff 7/8"
505000K	Repair kit B90 (Tipo Asturo)
505000	Repair kit B90 Diff 11/16"

CODE	DESCRIPTION
109004	Gun B90 bar 500 Connection 1/4" Diff 11/16"
109005	Gun B90 bar 500 Connection 16x1,5 mm Diff 11/16"
109004G	Gun B90 bar 500 Connection 1/4" Diffusor 7/8"
109005G	Gun B90 bar 500 Connection 16x1,5mm Diffusor 7/8"
505000G	Repair kit B90 with Diffusor 7/8"
505000K	Repair kit B90 (Asturo type)
505000	Repair kit B90 with Diffusor 11/16"

CE Ex II 2GT6 X

500 Bar

TT12 Ø3



Pistola airless manuale ad alta pressione, 500 Bar.
Manual airless high pressure gun, 500 Bar.

COD	DESCRIZIONE
TT4005	Pistola Airless TT12 Diam.3 acc 1/4" Diff. 11/16"
TT4006	Pistola Airless TT12 Diam.3 rac 16 x 1,5 mm Diff. 11/16"
TT4005G	Pistola Airless TT12 Diam.3 rac 1/4" Diff. 7/8"
TT4006G	Pistola Airless TT12 Diam.3 rac 16x1,5mm Diff. 7/8"
TT46526	Repair kit " CSS " 11/16"
TT46526G	Repair kit " CSS " 7/8"

CODE	DESCRIPTION
TT4005	TT12 Gun 500 bar Conn. 1/4" Diff 11/16"
TT4006	TT12 Gun 500 bar Conn. 16x1,5 mm Diff 11/16"
TT4005G	TT12 Gun 500 bar Conn. 1/4" Diff 7/8"
TT4006G	TT12 Gun 500 bar Conn. 16 x 1,5 mm Diff 7/8"
TT46526	Repair kit " CSS " 11/16"
TT46526G	Repair kit " CSS " 7/8"

CE II 2GT6 X

500 Bar

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	515gr
Ø SFERA/BALL	Ø3

CSS - COMPACT SYSTEM SOLUTION:



TK LINE



Pistola airless manuale ad alta pressione, 250 Bar, ideale per colle e sigillanti.

Manual airless high pressure gun, 250 Bar, suitable for glues and sealants.

DATI TECNICI / TECHNICAL DATA

PRES. MAX	250 Bar /3625 psi
PESO/ WEIGHT	410gr
Ø SFERA/BALL	Ø5

COD	DESCRIZIONE
TT75000	TK Line racc M 16x1,5mm Diff. 11/16"
TT75005	TK Line racc M 1/4" Diff. 11/16"
TT75005G	TK Line racc M 1/4" Diff. 7/8"
TT75000G	TK Line racc M 16x1,5mm Diff. 7/8"
20150	Ugello per silicone Ø 1,5mm
20200	Ugello per silicone Ø 2,0mm


CODE	DESCRIPTION
TT75000	TK Line Connection M 16x1,5mm Diff 11/16"
TT75005	TK Line Connection M 1/4" Diff 11/16"
TT75000G	TK Line Connection M 16x1,5mm Diff 7/8"
TT75005G	TK Line Connection M 1/4" Diff 7/8"
20150	Nozzles for silicones Ø1,5mm
20200	Nozzles for silicones Ø2,0mm

CE II 2GT6 X

250 Bar

RST7



CE  II 2GT6 X

500 Bar

Pistola manuale airless ad alta pressione con raccordo girevole in acciaio inox, in grado di garantire il massimo comfort e libertà all'utilizzatore. 500 Bar. RST7 è adatta per l'applicazione di riempitivi come colle e sigillanti o per rivestimenti protettivi particolarmente viscosi.

Manual airless high pressure gun ideal for spraying high viscosity materials using large diameter hoses even in extreme conditions. 500 bar. The robust and ergonomic construction and the swivel connection make the RST7 handling practical and light in any condition. With an increased material passage diameter, RST7 is also suitable for the application of fillers such as glues and sealants or for particularly viscous protective coatings.

DATI TECNICI / TECHNICAL DATA


PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	480gr
Ø SFERA/BALL	Ø7

COD DESCRIZIONE/ DESCRIPTION

RST71	Pistola airless RST7 racc 1/4" Diff. 11/16"/ Conn 1/4" Diff. 11/16"
RST72	Pistola airless RST7 racc 1/4" Diff. 7/8"/ Conn 1/4" Diff. 7/8"
RST73	Pistola airless RST7 racc 3/8" Diff. 11/16"/ Conn 3/8" Diff. 11/16"
RST74	Pistola airless RST7 racc 3/8" Diff. 7/8"/ Conn 3/8" Diff. 7/8"
RST75	Pistola airless RST7 racc 1/2" Diff. 11/16"/ Conn 1/2" Diff. 11/16"
RST76	Pistola airless RST7 racc 1/2" Diff. 7/8"/ Conn 1/2" Diff. 7/8"
RST7K	Repair kit RST7 Diff. 11/16"/ Repair kit RST7 Conn 11/16"
RST7KG	Repair kit RST7 Diff. 7/8"/ Repair kit RST7 Conn 7/8"
20150	Ugello per silicone Ø1,5mm/ Nozzle for silicones Ø1,5mm
20200	Ugello per silicone Ø2mm/ Nozzle for silicones Ø2mm

TK MIX



CE  II 2GT6 X

500 Bar

Pistola manuale airless alta pressione. Grazie al doppio passaggio di materiale è indicata per l'utilizzo di bi-componenti con miscelazione esterna.

Manual airless high pressure spray gun. Thanks to the double passage of materials, this gun is suitable for applying bi-components products with external mixing.

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	980gr
Ø SFERA/BALL	Ø5

COD DESCRIZIONE

TT77495	Pistola TK Mix racc 1/4" Diff. 11/16"
TT77490	Pistola TK Mix racc 16x1,5 Diff. 11/16"

CODE DESCRIPTION

TT77495	TK Line Connection M 1/4" Diff 11/16"
TT77490	TK Line Connection M 16x1,5mm Diff 11/16"

PISTOLE AUTOMATICHE ALTA PRESSIONE/ AUTOMATIC HIGH PRESSURE SPRAY GUNS

Pistole automatiche airless per la verniciatura a spruzzo professionale da installare in sistemi di spruzzatura automatici, cabine e impianti di verniciatura. Sono disponibili pistole per verniciare airless, utilizzabili per diverse applicazioni e materiali e in grado di garantire massima efficienza di trasferimento, alta qualità di finitura e velocità produttiva su grandi superfici dove è richiesto un alto spessore di rivestimento. Ogni pistola ha un apposito kit di riparazione in grado di garantire ottime condizioni di lavoro, ottenendo sempre la migliore spruzzatura e resa.

Automatic airless spray guns to be installed in automatic spraying systems, booths and painting systems. Airless spray guns are available, usable for different applications and materials and able to guarantee maximum transfer efficiency, high finishing quality and production speed on large surfaces where high coating thickness is required.

Each gun has a dedicated repair kit that allows to keep the gun in the best working conditions providing the best finishing performances.

B81 I



CE Ex II 2GT6 X

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	850gr
Ø SFERA/BALL	Ø5

COD	DESCRIZIONE
108100I	Pistola B81I Automatica INOX Diff. 11/16"
108108I	Pistola B81I Automatica INOX Diff. 7/8"
108104I	Pistola B81I Automatica INOX Diff. 1/4"
108102I	Pistola B81I Automatica INOX Diff. 1/2" girevole
502000	Repair kit B81I 11/16"
502000G	Repair kit B81I 7/8"
502004	Repair kit B81I 1/4"
502002	Repair kit B81I 1/2"

CODE	DESCRIPTION
108100I	Gun B81I Automatic S.Steel Diff. 11/16"
108108I	Gun B81I Automatic S.Steel Diff. 7/8"
108104I	Gun B81I Automatic S.Steel Diff. 1/4"
108102I	Gun B81I Automatic S.Steel Diff. 1/2" - revolving
502000	Repair kit B81I 11/16"
502000G	Repair kit B81I 7/8"
502004	Repair kit B81I 1/4"
502002	Repair kit B81I 1/2"

COD	DESCRIZIONE
108100	Pistola B81 Automatica All. Diff. 11/16"
108108	Pistola B81 Automatica All. Diff. 7/8"
108104	Pistola B81 Automatica All. Diff. 1/4"
108102	Pistola B81 Automatica All Diff. 1/2" girevole
502000	Repair kit B81 11/16"
502000G	Repair kit B81 7/8"
502004	Repair kit B81 1/4"
502002	Repair kit B81 1/2"

CODE	DESCRIPTION
108100	Gun B81A Automatic Allum. Diff. 11/16"
108108	Gun B81A Automatic Allum. Diff. 7/8"
108104	Gun B81A Automatic Allum. Diff. 1/4"
108102	Gun B81A Automatic Allum. Diff. 1/2"
502000	Repair kit B81A 11/16"
502000G	Repair kit B81A 7/8"
502004	Repair kit B81A 1/4"
502002	Repair kit B81 1/2"

B81 A



CE Ex II 2GT6 X

DATI TECNICI / TECHNICAL DATA

PRES. MAX	500 Bar /7250 psi
PESO/ WEIGHT	360gr
Ø SFERA/BALL	Ø5

RST5 - PISTOLA AUTOMATICA/ AUTOMATIC SPRAY GUN

Pistola automatica airless alta pressione, 300 Bar. Una pistola a spruzzo automatica leggera e compatta in grado di fornire una finitura di qualità e di precisione. Ideale per diverse applicazioni e materiali ed è in grado di garantire massima efficienza di trasferimento, alta qualità di finitura e velocità produttiva su grandi superfici dove è richiesto un alto spessore di rivestimento.

Automatic airless high pressure spray gun, 300 Bar. A light and compact automatic spray gun able to provide an high quality finishing. Suitable for different applications and materials and able to guarantee maximum transfer efficiency, high finishing quality and production speed on large surfaces where high coating thickness is required.



RST5



DATI TECNICI / TECHNICAL DATA

PRES. MAX	300 Bar /4350 psi
PESO/ WEIGHT	233gr alluminio/ aluminium version 590gr acciaio inox/ s. steel version
Ø SFERA/BALL	Ø3

CE Ex II 2GT6 X

COD DESCRIZIONE

RST51I	Pistola RST5 Automatica INOX Diff. 11/16"
RST52I	Pistola RST5 Automatica INOX Diff. 7/8"
RST53I	Pistola RST5 Automatica INOX 1/2" girevole
RST54I	Pistola RST5 Automatica INOX 1/4"

COD DESCRIZIONE

RST51	Pistola RST5 Automatica alluminio Diff. 11/16"
RST52	Pistola RST5 Automatica alluminio Diff. 7/8"
RST53	Pistola RST5 Automatica alluminio 1/2" girevole
RST54	Pistola RST5 Automatica alluminio 1/4"

CODE DESCRIPTION

RST51I	Gun RST5 Automatic S.Steel Diff. 11/16"
RST52I	Gun RST5 Automatic S.Steel Diff. 7/8"
RST53I	Gun RST5 Automatic S.Steel 1/2" - swivel
RST54I	Gun RST5 Automatic S.Steel 1/4"

CODE DESCRIPTION

RST51	Gun RST5 Automatic Aluminium Diff. 11/16"
RST52	Gun RST5 Automatic Aluminium Diff. 7/8"
RST53	Gun RST5 Automatic Aluminium 1/2" - swivel
RST54	Gun RST5 Automatic Aluminium 1/4"

B BERIZZI
SPRAYING TECHNOLOGY

Via Torchio,10 - 24034 Cisano Bergamasco (BG) - Italy
t. +39 0341 630184 - C.F. / P.IVA 03224470165
info@berizzi.it - www.berizzi.it

